

00020.150.171

jeh

05/19/04

ORIGINAL

ORDINANCE NO. 2218

AN ORDINANCE OF THE CITY OF REDMOND, WASHINGTON, AMENDING CHAPTER 15.24 OF THE REDMOND MUNICIPAL CODE IN ORDER TO MAKE CERTAIN AMENDMENTS TO THE CITY'S CLEARING, GRADING, AND STORM WATER MANAGEMENT CODE SO THAT THE SAME ADOPTS AND CONFORMS WITH THE 2001 DEPARTMENT OF ECOLOGY STORM WATER MANAGEMENT MANUAL AND MEETS THE REQUIREMENTS FOR THE PHASE II NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM PERMIT; PROVIDING FOR SEVERABILITY AND ESTABLISHING AN EFFECTIVE DATE.

WHEREAS, the National Pollution Discharge Elimination System (NPDES) was extended in 2003 to include smaller cities (10,000 to 100,000 in population) like the City of Redmond, and

WHEREAS, under the NDPEs, cities are required to obtain permits for discharges from municipal storm water systems and states are given the authority to establish blanket permits for all municipalities that meet certain requirements established by the state, and

WHEREAS, the Department of Ecology (DOE) administers such permits in the State of Washington and has established certain mandatory elements for a city to qualify under the blanket permit, including adoption of the 2001 DOE Storm Water Management Manual for Western Washington as part of the qualifying city's clearing, grading, and storm water management regulations, and

WHEREAS, the Public Works Department has recommended that the City's Clearing, Grading, and Storm Water Management Code be amended in order to adopt the 2001 DOE manual and to otherwise conform to the same, and to otherwise update the regulations, and

WHEREAS, the City Council concurs in the recommendation and has determined to amend the newly recodified Chapter 15.24 of the Redmond Municipal Code in order to accomplish the same, now, therefore,

THE CITY COUNCIL OF THE CITY OF REDMOND, WASHINGTON, DO
ORDAIN AS FOLLOWS:

Section 1. **Clearing, Grading, and Storm Water Management.** Chapter 15.24 of the Redmond Municipal Code is hereby amended to read as set forth on Attachment A attached hereto and incorporated herein by this reference as if set forth in full.

Section 2. **Severability.** If any section, sentence, clause or phrase of this ordinance or any of the codes or regulations adopted hereby should be held to be invalid or unconstitutional by a court of competent jurisdiction, such invalidity or unconstitutionality shall not affect the validity of any other section, sentence, clause or phrase of this ordinance or the adopted codes or regulations.

Section 3. **Effective Date.** This ordinance, being an administrative action, is not subject to referendum, and shall take effect and be in full force October 1, 2004. The City Clerk is directed to publish a summary of this ordinance, consisting of the title, as soon as practicable after passage, but in no event later than five days prior to October 1, 2004.

APPROVED:



MAYOR ROSEMARIE M. IVES

ATTEST/AUTHENTICATED:



CITY CLERK BONNIE MATTSON

APPROVED AS TO FORM:



CITY ATTORNEY JAMES E. HANEY

FILED WITH THE CITY CLERK:	May 26, 2004
PASSED BY THE CITY COUNCIL:	June 1, 2004
PUBLISHED:	June 7, 2004
EFFECTIVE DATE:	October 1, 2004
ORDINANCE NO. <u>2218</u>	

Chapter 15.24

CLEARING, GRADING, AND STORMWATER MANAGEMENT

Sections:

15.24.010 Purpose and Intent.	2
15.24.020 Design, Construction and Maintenance – General Requirements.	2
15.24.030 Director.	3
15.24.040 Issuance of Permits.	3
15.24.050 Activities Requiring Permits.	3
15.24.055 Activities That Do Not Require a Clearing, Grading, and Storm Water Permit.	4
15.24.060 Classification of Clearing, Grading and Storm Water Management Construction Activities.	4
15.24.070 Rough Grading Projects.	6
15.24.080 Design and Construction Requirements.	6
15.24.090 Relief from General Design Standards.	9
15.24.100 Enforcement – Authorization.	9
15.24.110 Inspection.	9
15.24.120 Stop Work Orders.	10
15.24.130 Suspension or Revocation of Permit.	11
15.24.140 Penalty for Violation.	11

15.24.150 Restoration.	11
15.24.160 Notification of Noncompliance.	11
15.24.170 Penalties.	12
15.24.180 Processing Fees.	12
15.24.190 Permit Fees.	12
15.24.200 Inspection Fees.	12

15.24.010 Purpose and Intent.

The purpose of the Clearing, Grading, and Storm Water Management Code is to: safeguard life, property, public health, and general welfare; minimize water quality degradation; prevent excessive sedimentation of or erosion by surface waters; and prevent the creation of public nuisances such as fouling of surface or groundwater. Furthermore, this section is intended to reduce impacts from land development; preserve and enhance wildlife habitat in and along surface waters; enhance the aesthetic quality of the area waters; minimize erosion; preserve trees; and preserve natural topographic features. These regulations focus on prevention of adverse impacts associated with clearing, grading and storm water activities rather than remediation of adverse impacts after they have occurred. (Ord. 1877)

15.24.020 Design, Construction and Maintenance – General Requirements.

- (1) The design, construction, and maintenance of all clearing, grading and storm water management systems and facilities shall comply with the requirements and design standards contained in all the following documents:
 - (a) This chapter.
 - (b) The Department of Ecology Storm Water Management Manual for Western Washington, dated August 2001 or its successor when approved by the City’s Technical Committee.
 - (c) Any applicable construction specifications, design standards and details approved under the authority of subsection (2) of this section.
- (2) The Public Works Director shall prepare and shall adopt construction specifications and design standards and details for clearing, grading, and storm water management. The specifications, design standards and details shall be based on the Department of Ecology Storm Water Management Manual for Western Washington, dated August 2001 or its successor when approved by the City’s Technical Committee. The Public Works Director has the authority to make changes as local conditions warrant with approval of the Technical Committee. The specifications, design details, and any

changes shall be made available to the public. A fee set by the Public Works Director may be charged for these documents.

(3) In the case of conflicts between the documents listed in subsection (1) of this section, conflicts shall be resolved by applying the following order of precedence:

(a) this chapter.

(b) the standard specifications and details referred to in subsection (2) of this section; and

(c) the Storm Water Management Manual for Western Washington. (Ord. 1877)

15.24.030 Director.

For the purposes of this chapter only, Director shall mean the Director of the Public Works Department or his/her designee. (Ord. 1877)

15.24.040 Issuance of Permits.

(1) Regulated clearing, grading and/or storm water activity as defined in RCDG 15.24.050, below, requires City approval and the issuance of the appropriate permit(s) before initiating any of the regulated activities.

(2) Speculative clearing and grading shall be prohibited.

(3) For regulated activities, City approval means approval of appropriate plans, prepared by the applicant's engineer(s), indicating compliance with the requirements and design standards specified in this chapter under RCDG 15.24.020. Approval shall be evidenced by the signature of the Public Works Director or designee. Once plans are approved, a permit may be issued by the City. Fees for plan review and permit processing may be charged as established by separate ordinance. Issued permits shall be posted on the construction site at all times when work is underway. To ensure that the actual work in the field conforms with the approved plans, permitted activities shall be inspected by the City during construction. (Ord. 1877 (20E.70.040))

15.24.050 Activities Requiring Permits.

All clearing, grading or storm water management construction activities listed below require approved plans and a permit(s). . The thresholds are cumulative during a one-year period for any given site.

(1) Clearing of 7,000 square feet of land area or more.

(2) Earthwork of 50 cubic yards or more. This means any activity which moves 50 cubic yards of earth, whether the material is excavated or filled and whether the material is brought into the site, removed from the site, or moved around on the site.

(3) Removal of 11 or more trees that are six-inch diameter or larger. The tree diameter is measured four feet from the ground. The removal of 10 or fewer trees is regulated in RCDG 20D.80.10-060.

- (4) Any clearing or grading within a sensitive area or buffer of a sensitive area. Sensitive areas are defined in Chapter 20D.140 RCDG. Any disturbance to vegetation within sensitive areas and their corresponding buffers is also regulated by Chapter 20D.140 RCDG, the Sensitive Area Ordinance (SAO). Note that under the SAO, a Clearing/Grading permit for work on steep slopes must first receive a variance from the Hearing Examiner and must address criteria in the SAO which include considerations of alternatives that avoid any disturbance of steep slopes.
- (5) Any change of the existing grade by four feet or more. This criterion applies to all permanent changes in grade and grade changes for extended periods of time (60 days or longer) located outside structure footprints.
- (6) Any work within a public easement, City owned tract or City right-of-way. Any clearing, grading or landscaping must be approved by the Dept. of Public Works prior to construction.
- (7) The creation or addition of new, replaced or new plus replaced impervious surface in the amount of 2,000 square feet or more.
- (8) Any construction of public drainage facilities to be owned or operated by the City.
- (9) Any construction of private storm drainage pipes 12- inch in diameter or larger.
- (10) Any modification of, or construction which affects, the private quantity or quality control system. (Does not include maintenance or repair to the condition defined by previously approved plans). (Ord. 1877)

15.24.055 Activities That Do Not Require a Clearing, Grading, and Storm Water Permit.

- (1) All clearing, grading and storm water management construction activities that do not involve any of the thresholds listed above do not require City approved Clearing, Grading and Storm Water Management plans or a permit, but still must meet the requirements specified in RCDG 15.24.020.
- (2) Activities that do not require approved plans or permits must still provide BMPs as necessary to control water quality. Any surface intended for vehicular traffic shall provide a floatables separator. Minimum requirements for other activities may be obtained by written request to the Development Services Division, accompanied by an adequate description of proposed work.
- (3) The following activities are unregulated by this chapter even if the criteria in RCDG 15.24.050 are exceeded:
 - (a) Agricultural crop management of existing farmed areas.
 - (b) Cemetery graves involving less than 50 cubic yards of excavation, and related filling per each cemetery plot. (Ord. 1877)

15.24.060 Classification of Clearing, Grading and Storm Water Management Construction Activities.

- (1) A Clearing, Grading and Storm Water Management Permit may be considered as a component of a building permit or other permit, rather than

as a separate permit, if City-approved drawings for such activities are included under the other permit.

- (2) The Director shall specify what submittal and application materials are required for a complete application, including the type of submittals, the required level of detail, the minimum qualifications of preparers of technical documents, and the number of copies that must be submitted.
- (3) Clearing, grading and storm water management activities are classified based on type, location and timing of development activity proposed. Table 1 outlines the classifications for clearing, grading and storm water management activities and briefly reviews processing. Other City processes, approvals and permits may also be required for projects. The Director may adjust classifications and permit processing steps for proposed projects which are shown to be in multiple classifications or are otherwise not appropriately classified under the criteria shown in Table 1 and may adjust processing steps and fees as appropriate.

Project Classification and Processing Table.

Table 1

Project Classification	Typical Type of Development Activity	City Permit Which Allows Clearing, Grading and Storm Water Management Construction*	Summary of Permit Process for Clearing, Grading and Storm Water Management Construction
Building Projects	Single-family, duplex construction, commercial, industrial and multi-family construction, additions	Building Permit	Clearing, grading and storm water management activities are reviewed in conjunction with the Building Permit plans. Single-family and duplexes are reviewed by the Construction and Building Divisions, all other projects are reviewed by the Development Services Division
Development Projects	Subdivision, utility construction outside city right-of-way, Clearing and grading only projects including landscaping projects	No permit issued at this time	Clearing, grading and storm water management activities are reviewed by the Development Services Division as all or part of the site improvement plans
Right-of-Way Projects	Construction activities all or partly within the city right-of-way	Street Use Permit	Clearing, grading and storm water management activities are reviewed by the Development Services Division as part of the project
Rough Grading Projects	Clearing and/or grading of a site before all final approvals of the entire project	Rough Grading Permit	Clearing and grading activities are reviewed by the Development Services Division prior to other site improvements plans. Special conditions shall be met for issuance of Rough Grading plans (see RCDG 15.24.070).

* Construction is allowed only when approved plans for clearing, grading and storm water management construction are issued with the appropriate permit listed in the table. (Ord. 1877)

15.24.070 Rough Grading Projects.

- (1) Rough Grading Prerequisites. The Technical Committee shall determine whether rough grading will be permitted for a project. At a minimum, to obtain a Rough Grading Permit approval for a project all the following shall have been processed and have received approval:
 - (a) Site plan approval including conceptual utility layout.
 - (b) SEPA review for the entire project completed (if required).
 - (c) Clearing, grading and temporary erosion control construction plans.
 - (d) Resolution of all project feasibility issues (i.e., required off-site easements, significant utility design issues, etc.).
- (2) Rough Grading Application. Upon completion of the prerequisites listed above, the following information shall be submitted, if applicable, for a rough grading application to be considered complete:
 - (a) Seven sets of rough grading drawings and supporting information stamped and signed by a professional civil engineer.
 - (b) Clear identification of all work proposed under the rough grading application.
 - (c) Clear identification of existing and proposed grades.
 - (d) Clear identification of all areas that will be disturbed.
 - (e) Identification of proposed quantity of earthwork.
 - (f) Identification of proposed erosion control measures.
 - (g) An erosion control plan designed in accordance with the City Design Specifications.
 - (h) Payment of the appropriate plan review fees.
 - (i) Prior to issuance of Rough Grading Permits, acceptable site restoration assurance (bonding, cash deposits, etc. as specified by the Technical Committee) shall be posted with the City. (Ord. 1877)

15.24.080 Design and Construction Requirements.

- (1) Minimum Requirements. The design and construction standards found in this section are the minimum requirements. The Director may require additional or modified standards for specific projects or areas based on approved interlocal agreements, identified capacity limitations, significant erosion potential, seasonal factors, or other applicable factors.
- (2) Checklist. The Director of Public Works shall maintain a checklist of Project Requirements that will be available at the Development Services Division. For those activities that require preparation of plans (see regulated activities RCDG 15.24.050) the applicant shall prepare plans that, at a minimum, include the following:
 - (a) Erosion and Sediment Control. All clearing, grading and storm water management activities shall be designed and constructed to minimize erosion and the transport of sediment.

- (b) **Drainage Facilities.** Drainage facilities shall be provided with site improvements as needed to meet the intent of this section. As a minimum, conveyance systems shall be designed to convey the 10-year storm. Culvert crossings of public rights-of-way shall be designed for at least the 25-year storm. Additional analysis may be required and if excessive flooding, erosion and other damage would occur, the design storm may be increased by the Director.
- (c) **Water Quality Control.** All projects that create or add 5,000 square feet or more of pollution generating impervious surface (PGIS) or ¼ acre or more of pollution generating pervious surface (PGPS) shall provide treatment of runoff from the added impervious area. Treatment shall, at a minimum, be sized to capture and treat the water quality design storm, defined as the six-month, 24-hour return period storm. Flows exceeding the water quality design storm shall bypass water quality control systems. The Director may exempt trails and other linear types of construction projects if not used by motor vehicles and no significant impacts are identified.
- (d) **Water Quantity Control.** All projects that create or add 5,000 square feet of impervious area shall control runoff from the added impervious area. The maximum allowable discharge rate(s) depend on the downstream conveyance system. Where downstream systems contain streams, other channels susceptible to erosion, or special local conditions as determined by the Director, Stormwater discharges shall match developed discharge durations for the range of predeveloped discharge rates from 50% of the 2-year peak flow up to the full 50-year peak flow, assuming the predeveloped condition is forested land cover except on the Sammamish Valley floor, where Pasture may be taken as the predeveloped condition. The developed peak discharge rates for the two and ten year return periods shall match the existing (predeveloped) site conditions peak rates. If downstream analyses show flooding, erosion, and other damage would still occur, the allowable discharge rates may be decreased by the Director. For other downstream systems, the peak discharge rate shall not be increased due to the proposed development over that for natural conditions for the water quality design storm and 10-year design storm. In some cases direct discharge without detention may be permitted as determined by the Director. Trails and other linear types of construction activities may be exempt if not used by motor vehicles and no significant impacts are identified with approval by the Director.
- (e) **Stabilization of Disturbed Areas.** All exposed soil shall be stabilized by suitable application of BMPs, including but not limited to sod or other vegetation, plastic covering, mulching, or application of base course(s) on areas to be paved. All BMPs shall be selected, designed and maintained according to the approved Manual. From October 1st through April 30th, no unworked soil shall remain exposed for more than two days. From May 1st through September 30th, no unworked soil shall remain exposed for more than seven days. The City may permit extension of these times or require reduction of these times based on current and projected weather with prior approval and/or direction by the City inspectors.
- (f) **Protection of Adjacent Properties.** Adjacent properties shall be protected from sediment deposition by appropriate use of vegetative buffer strips, sediment barriers or filters, dikes or mulching, or by a combination of these measures and other appropriate BMPs.

- (g) Maintenance. All erosion and sediment control BMPs shall be regularly inspected (minimum once a week and after each storm) and maintained to ensure continued performance of their intended function.
- (h) Identification of Sensitive Areas and Associated Buffers. No clearing or grading activity shall take place without first delineating sensitive area and buffers. All sensitive areas shall be delineated and clearly marked on the plans for permits. On-site and off-site sensitive areas that may be affected by the proposed activity shall be identified. All such on-site areas shall be fenced before any clearing or grading whether a permit is required or not required. These areas shall not be cleared and the vegetation shall not be disturbed per the Sensitive Areas Ordinance (Chapter 20D.140 RCDG).
- (i) Identification of Easements. Native growth protection easements (NGPE), utility easements etc. and corresponding setbacks shall be delineated and clearly marked on the plans. These areas shall not be cleared and the vegetation shall not be disturbed without proper approval.
- (j) Accurately Describe Work Area. Provide a plan showing location of the property where the activity is proposed. Show areas to be cleared and graded, stockpile areas, staging areas, etc.
- (k) Control of Pollutants Other Than Sediment on Construction Sites. All potential pollutants in addition to sediment that occur on-site during construction shall be handled and disposed of in a manner that does not cause contamination of storm water.
- (l) Source Control of Pollution. Source Control BMPs shall be applied to all projects to the maximum extent practicable. Source control BMPs shall be selected, designed, and maintained according to the approved manual.
- (m) Controlling Off-Site Erosion. Properties and waterways downstream from development sites shall be protected from erosion due to increases in the volume, velocity, and peak flow rate of storm water runoff from the site to the maximum extent practicable.
- (n) Other BMPs. Shall be applied as appropriate to mitigate the effects of potential increased runoff and/or decreased runoff water quality to the maximum extent practicable.
- (o) Separate public and private drainage storm water facilities for public land and city rights-of-way shall be separate from private on-site facilities to the maximum extent practicable.
- (p) Limit Topographic Change.
 - (i) Within structure footprints, this chapter does not limit cuts or fills (even with the presence of significant trees).
 - (ii) Within building work areas the maximum permitted vertical depth or height of a cut or fill is a total of eight vertical feet based on finished grades.
 - (iii) Outside building work areas and where significant trees are not present the maximum permitted vertical depth or height of a cut or fill is a total of eight vertical feet.
 - (iv) Outside building work areas and where significant trees are present grades shall not be changed.

- (v) Cut or fill slopes may not exceed 33 percent (3H:1V). Cut and fill slopes for roadways may, however, be designed at (2H:1V) upon review and approval by the Director.
- (q) Tree preservation plan information in accordance with the City's Tree Preservation Regulations shall be incorporated into the clearing and grading drawings and shall become part of all construction documentation. This information shall define spatial limits for tree protection and include detailed drawings of tree protection measures and all required mitigation plantings. The tree preservation information must be prepared by a certified arborist or a certified landscape architect in conjunction with a registered civil engineer. (Note: In most instances, the tree survey will serve as the basis for the tree preservation information.) (Ord. 1877)

15.24.090 Relief from General Design Standards.

- (1) The process for requesting relief from the general design standards specified in RCDG 15.24.080 shall be through the application of a general development permit and approval through the Technical Committee. One of the following shall be clearly demonstrated to consider granting of relief:
 - (a) There are no feasible and reasonable alternatives to the clearing, grading and/or storm water activity being proposed;
 - (b) The proposed activity will result in significantly less impacts than meeting the standards;
 - (c) Meeting the requirements creates an unacceptable life safety concern; and
 - (d) No reasonable use with less impacts is feasible and reasonable.
- (2) The Technical Committee may determine that a public hearing is necessary because of the nature of the clearing and grading request. If such a determination is made, the Hearing Examiner shall hold the hearing and take final action on the request. (Ord. 1877)

15.24.100 Enforcement – Authorization.

The Director is authorized and directed to enforce all the provisions of this section. For such purpose, the director may appoint officers, inspectors, assistants and other employees as needed from time to time. The Director may authorize such employees, as may be necessary, to carry out the duties and functions of that office. (Ord. 1877)

15.24.110 Inspection.

The Director is authorized to make such inspections and take such actions as may be required to enforce the provisions of this chapter or whenever the Director has reasonable cause to believe that any land is being used in violation of this section. Inspections shall be made as follows:

- (1) As a condition of any permit issued for activity covered by this chapter, the property owner shall be required to consent to entry upon the land by the Director at all reasonable times to inspect the same or to perform any duty

imposed upon the Director by this section. If the land is occupied, the Director shall first present proper credentials and request entry. If the land is unoccupied, a reasonable effort shall be made to locate the owner or other persons at the site who are in apparent charge or control of the land and demand entry. If no person is located, the Director may enter said property and shall, with due diligence, make attempts to notify the owner, occupant, or other person having charge within a reasonable amount of time.

- (2) Where the Director has reasonable grounds to believe that activities for which a permit is required by the section are being conducted without a permit on land within the City, the Director may seek to inspect the land and such activity. If the land is occupied, the Director shall first present proper credentials and request entry for inspection. If the land is unoccupied, a reasonable effort shall be made to locate the owner or other persons at the site in apparent charge or control of the land and request entry for inspection. If no person is located, or if entry is refused, the Director may request the assistance of the City Attorney, City Prosecutor or Police Department regarding access. (Ord. 1877)

15.24.120 Stop Work Orders.

- (1) Whenever any activity is being done contrary to the provisions of this section, the Director may order the work stopped by notice verbally or in writing served on any persons engaged in the doing or causing such work to be done, and any such person shall forthwith stop such work until authorized by the director to proceed with the work.
- (2) The Director may suspend work on any project during periods of inclement weather to reduce actual or potential erosion and/or sedimentation. Such a period may involve days or weeks during storm events or may, at the discretion of the Director, involve the entire rainy season.
- (3) The Director may order work stopped because of inadequate on-site erosion/sedimentation controls. In such cases, a revised and improved erosion/sediment control plan (including but not limited to addition of or additional phasing) shall be submitted to the City for review. Once approved, the Director shall lift the stop work order and work can continue. If the revised and improved erosion/sediment control plan is found to be inadequate and work is again ordered stopped, then the following shall be required:
 - (a) If it is the rainy season, work will be suspended until the end of the season (until April 30th, or later if weather conditions warrant, and work shall not continue beyond October 1st or earlier if weather conditions warrant).
 - (b) A revised plan shall be required to be submitted to the City Public Works Department. Once approved, work can continue between April 30th – October 1st.
 - (c) An on-site, full-time erosion control inspector (provided by developer) shall be required to monitor all work involving land disturbance. All costs for this inspector shall be paid by the contractor. The inspector shall provide weekly reports to the City regarding all clearing and grading work; monitor all erosion control features; and be a direct contact for the City inspectors. (Ord. 1877)

15.24.130 Suspension or Revocation of Permit.

The Director may suspend or revoke a permit whenever the permit is issued on the basis of incorrect information supplied, approved plans are not accurately reflective of actual field conditions, or the work is being done contrary to, or in violation of, any pertinent ordinance, regulation, procedure or permit. Upon receipt of a timely appeal under RCDG Title 20E, suspension or revocation shall be stayed pending decision on the appeal, provided that such a stay shall not affect any stop work order issued by the Director. (Ord. 1877 (20E.70.100(60)))

15.24.140 Penalty for Violation.

All violations of the section, including hazards and failure to comply with terms of the clearing/grading permit and conditions, are determined to be detrimental to the public health, safety, and welfare and declared to be public nuisances. All such violations are also criminal gross misdemeanors and punishable as provided in RMC 1.01.110. All conditions that, after inspection, have been determined by the Director to render any site or portion thereof to be used or maintained in violation of the section, shall be abated. (Ord. 1877 (20E.70.100(70)))

15.24.150 Restoration.

Any work not done in compliance with this section or any permit issued pursuant thereto or with any other section of the Redmond Community Development Guide may be required by Director to be removed or restored to as near pre-project original condition as possible in the sole opinion of the Director. Such restoration may include, but shall not be limited to, the following:

- (1) Filling, stabilizing and landscaping with vegetation similar to that which was removed, cuts or fills;
- (2) Planting and maintenance of trees of a size that will reasonably assure survival and that replace functions and values of removed trees; and
- (3) Reseeding and landscaping with vegetation similar to that which was removed, in areas without significant trees where bare ground exists. (Ord. 1877 (20E.70.100(80)))

15.24.160 Notification of Noncompliance.

If, while fulfilling their responsibility under this section, the inspector, the engineer, the soil engineer, the engineering geologist or the testing agency finds that the work is not being done in conformance with this chapter or the approved grading plans, the discrepancies shall be reported immediately in writing to the person in charge of the grading work and to the Director. Recommendations for corrective measures, if necessary, shall be submitted.

The appropriate clearing, grading or storm water management permit (see RCDG 15.24.060) shall be required regardless of any permit issued by any other department or agency that may be interested in certain aspects of the proposed work. Where work for which a permit is obtained by this section is started or proceeding before obtaining such a permit, the work shall be stopped, and the violator shall be subject to such penalties as provided in this section. However, the payment of such penalties shall not relieve any person from fully complying

with the requirements of this section in the execution of the work nor any other penalties prescribed thereon.

The Director may require that the approved activity, operations and project designs be modified if delays occur which incur weather-generated problems not apparent at the time the permit was issued. (Ord. 1877 (20E.70.100(90)))

15.24.170 Penalties.

Whenever any work for which a permit is required by this code has been commenced without first obtaining said permit, the work shall be stopped, and special investigation shall be made before a permit may be issued for such work. Work shall not commence during the investigation other than restoration, work on pollution control measures or stabilization approved by the Public Works Director. An investigation fee, in addition to the permit fee, shall be collected whether or not a permit is then or subsequently issued. The investigation fee shall be equal to the amount of the permit fee required by the code. The minimum investigation fee shall be the same as the minimum fee set forth in the standard clearing and grading fee for permit application. The payment of such investigation fee shall not exempt any person from compliance with all other provisions of this code nor from any penalty prescribed by law. (Ord. 1877 (20E.70.100(100)))

15.24.180 Processing Fees.

Clearing and Grading and Storm Water Management fees shall be determined by the Director, and upon approval by the City Council shall be made available to the public.

Before accepting a set of plans and specifications for checking, the director shall collect a plan-checking fee. Separate permits and fees shall apply to retaining walls or major drainage structures as required by the Uniform Building Code. There shall be no separate charge for standard terrace drains and similar facilities. The amount of the plan-checking fee for clearing/grading plans shall be as set forth in the schedule of fees adopted pursuant to RCDG Title 20F. (Ord. 1877 (20E.70.110(10)))

15.24.190 Permit Fees.

A fee for each clearing, grading or storm water management permit shall be paid to the director as set forth in the fee schedule adopted pursuant to RCDG Title 20F.

Permits may be extended, before their expiration, for up to a total of one year. Inspection fees shall be paid before the start or extension of work and are required for the duration of the project. An additional fee may be charged for processing of a permit extension. (Ord. 1877 (20E.70.110(20)))

15.24.200 Inspection Fees.

A fee for each clearing, grading or storm water management construction inspection shall be paid to the director as set forth in the fee schedule adopted pursuant to RCDG Title 20F. (Ord. 1877 (20E.70.100(30)))